



West 11th Street Pediatric Associates, LLP

Alessandra Zullo, M.D., F.A.A.P.
Lori Rosello, M.D., F.A.A.P.
John Agliano, M.D., F.A.A.P.

Checkup and Immunization Schedule

Newborn visit	First checkup 2 to 3 days after discharge
Weight checks	As needed
1 Month	Checkup
2 Months	<u>(Baby has to be 2 months)</u> Checkup with vaccines <u>Pediarix</u> (Diphtheria, whooping cough, tetanus, hepatitis B, polio) <u>Prevnar</u> (pneumococcal meningitis) <u>Rotavirus</u> (an oral vaccine against a stomach virus) <u>HIB</u> (haemophilus influenzae type B meningitis)
4 Months	Checkup with vaccines, Pediarix, Prevnar, Hib, and Rotavirus
6 Months	<u>(Baby has to be exactly 6 months)</u> Checkup with vaccines, Pediarix, Prevnar, Rotavirus, Visionscreen
Annual flu vaccines, September, October, and November, starting at 6 months of age A flu booster is given 1 month after the first flu vaccine the first year only	
9 Months	Checkup, lead exposure and anemia tests
12 Months	<u>(Child has to be 1 year old)</u> Checkup with vaccines, vision screen <u>MMR</u> (measles, mumps, rubella) <u>Varicella</u> (chicken pox) <u>Hepatitis A</u> (foodborne hepatitis)
15 Months	Checkup with vaccines, HIB and Prevnar
18 Months	Checkup, Vision screen and vaccines, <u>DTAP</u> (diphtheria, tetanus, whooping cough) <u>Hepatitis A</u>

2 Years	Checkup, Vision screen, lead exposure and anemia tests, dental
2 ½	Checkup, vision screen
3 Years	Checkup, and vision screen
4 Years	Checkup, hearing and vision screens <u>MMRV</u> (measles, mumps, rubella, chicken pox) <u>DTaP-IPV</u> (diphtheria, tetanus, whooping cough, polio)
Years 4 to 10	Annual checkup and vision screens Annual hearing screens done for ages 4,5 and 6

Adolescent Checkup and Immunization Schedule

11 Years	Checkup <u>Tdap</u> (tetanus, diphtheria, whooping cough) <u>Menveo</u> (Meningococcal meningitis) Hearing and vision screens Anemia and lipid screens
12 Years	Checkup and vision screen <u>HPV</u> (Human Papillomavirus vaccine -adolescent cancer vaccine, Series of 2, given 6-12 months apart)
13 Years	Checkup and HPV vaccine Vision screen
14 and 15 Years	Checkup Vision screen
16 Years	Checkup Meningococcal and meningitis booster Vision screen
17 Years	Checkup <u>Bexsero</u> (Meningitis B series series of 2 given 6 months apart) Vision, hemoglobin and lipid screens
Years 18-21	Checkup and vision screens

